

| Interconnection Point : | | PITT PIRINEOS - EXIT | | | | Date : 31/01/2017 | | | |
|-------------------------|-----------------------------|--|--|--|------------------------------------|--------------------------------------|--------------------------------------|---|---|
| Units of measurements : | | GWh | | | | | | | |
| Mois : | | avril 2017 | | | | | | | |
| DAY | FIRM CAPACITY (A) GWh | INTERFACE | | | LOCAL | | | ORIGIN OF INTERRUPTION | NATURE OF PLANNED MAINTENANCE (on-line inspection; pipeline works; installation works) period 6:00 - 6:00 |
| | | PROBABLE PLANNED INTERRUPTION (B) GWh | PROBABLE REMAINING CAPACITY (A - B) GWh | PROBABLE PLANNED INTERRUPTION (B / A) % | PLANNED INTERRUPTION (B) GWh | REMAINING CAPACITY (A - B) GWh | PLANNED INTERRUPTION (B / A) % | | |
| 1 | 175 | 130 | 45 | 74% | 0 | 175 | 0% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 2 | 175 | 130 | 45 | 74% | 0 | 175 | 0% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 3 | 175 | 130 | 45 | 74% | 0 | 175 | 0% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 4 | 175 | 130 | 45 | 74% | 0 | 175 | 0% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 5 | 175 | 130 | 45 | 74% | 0 | 175 | 0% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 6 | 175 | 130 | 45 | 74% | 0 | 175 | 0% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 7 | 175 | 130 | 45 | 74% | 0 | 175 | 0% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 8 | 175 | 49 | 126 | 28% | 0 | 175 | 0% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 9 | 175 | 49 | 126 | 28% | 0 | 175 | 0% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 10 | 175 | 49 | 126 | 28% | 0 | 175 | 0% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 11 | 175 | 49 | 126 | 28% | 0 | 175 | 0% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 12 | 175 | 49 | 126 | 28% | 0 | 175 | 0% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 13 | 175 | 49 | 126 | 28% | 0 | 175 | 0% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 14 | 175 | 0 | 175 | 0% | 0 | 175 | 0% | | |
| 15 | 175 | 0 | 175 | 0% | 0 | 175 | 0% | | |
| 16 | 175 | 0 | 175 | 0% | 0 | 175 | 0% | | |
| 17 | 175 | 0 | 175 | 0% | 0 | 175 | 0% | | |
| 18 | 175 | 0 | 175 | 0% | 0 | 175 | 0% | | |
| 19 | 175 | 0 | 175 | 0% | 0 | 175 | 0% | | |
| 20 | 175 | 0 | 175 | 0% | 0 | 175 | 0% | | |
| 21 | 175 | 0 | 175 | 0% | 0 | 175 | 0% | | |
| 22 | 175 | 0 | 175 | 0% | 0 | 175 | 0% | | |
| 23 | 175 | 0 | 175 | 0% | 0 | 175 | 0% | | |
| 24 | 175 | 0 | 175 | 0% | 0 | 175 | 0% | | |
| 25 | 175 | 0 | 175 | 0% | 0 | 175 | 0% | | |
| 26 | 175 | 0 | 175 | 0% | 0 | 175 | 0% | | |
| 27 | 175 | 0 | 175 | 0% | 0 | 175 | 0% | | |
| 28 | 175 | 0 | 175 | 0% | 0 | 175 | 0% | | |
| 29 | 175 | 0 | 175 | 0% | 0 | 175 | 0% | | |
| 30 | 175 | 0 | 175 | 0% | 0 | 175 | 0% | | |

| Interconnection Point : | | PITS - EXIT | | | 31/01/2017 | |
|-------------------------|-----------------------|---------------------------------------|---|---|---|--|
| Units of measurements : | | GWh | | | | |
| Mois : | | avril 2017 | | | | |
| DAY | FIRM CAPACITY (A) GWh | PROBABLE PLANNED INTERRUPTION (B) GWh | INTERFACE | | ORIGIN OF INTERRUPTION | NATURE OF PLANNED MAINTENANCE (on-line inspection; pipeline works; installation works) |
| | | | PROBABLE REMAINING CAPACITY (A - B) GWh | PROBABLE PLANNED INTERRUPTION (B / A) % | | |
| 1 | 292 | 216 | 76 | 74% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 2 | 292 | 216 | 76 | 74% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 3 | 292 | 216 | 76 | 74% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 4 | 292 | 216 | 76 | 74% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 5 | 292 | 216 | 76 | 74% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 6 | 292 | 216 | 76 | 74% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 7 | 292 | 216 | 76 | 74% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 8 | 292 | 82 | 210 | 28% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 9 | 292 | 82 | 210 | 28% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 10 | 292 | 82 | 210 | 28% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 11 | 292 | 82 | 210 | 28% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 12 | 292 | 82 | 210 | 28% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 13 | 292 | 82 | 210 | 28% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 14 | 292 | 0 | 292 | 0% | | |
| 15 | 292 | 0 | 292 | 0% | | |
| 16 | 292 | 0 | 292 | 0% | | |
| 17 | 292 | 0 | 292 | 0% | | |
| 18 | 292 | 0 | 292 | 0% | | |
| 19 | 292 | 0 | 292 | 0% | | |
| 20 | 292 | 0 | 292 | 0% | | |
| 21 | 292 | 0 | 292 | 0% | | |
| 22 | 292 | 0 | 292 | 0% | | |
| 23 | 292 | 0 | 292 | 0% | | |
| 24 | 292 | 0 | 292 | 0% | | |
| 25 | 292 | 0 | 292 | 0% | | |
| 26 | 292 | 0 | 292 | 0% | | |
| 27 | 292 | 0 | 292 | 0% | | |
| 28 | 292 | 0 | 292 | 0% | | |
| 29 | 292 | 0 | 292 | 0% | | |
| 30 | 292 | 0 | 292 | 0% | | |

| Interconnection Point : | | PITT PIRINEOS - ENTRY | | | Date : 31/01/2017 | |
|-------------------------|-----------------------|--------------------------------------|--|--|---|--|
| Units of measurements : | | GWh | | | | |
| Mois : | | avril 2017 | | | | |
| DAY | FIRM CAPACITY (A) GWh | MINIMUM PLANNED INTERRUPTION (B) GWh | LOCAL | | ORIGIN OF INTERRUPTION | NATURE OF PLANNED MAINTENANCE (on-line inspection; pipeline works; installation works) |
| | | | MAXIMUM REMAINING CAPACITY (A - B) GWh | MINIMUM PLANNED INTERRUPTION (B / A) % | | |
| 1 | 225 | 0 | 225 | 0% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 2 | 225 | 0 | 225 | 0% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 3 | 225 | 0 | 225 | 0% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 4 | 225 | 0 | 225 | 0% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 5 | 225 | 0 | 225 | 0% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 6 | 225 | 0 | 225 | 0% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 7 | 225 | 0 | 225 | 0% | GRTgaz : Insertion raccord Isolant à Laprade Guyenne + Réhabilitation DN800 Roussines - Chazelles | |
| 8 | 225 | 0 | 225 | 0% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 9 | 225 | 0 | 225 | 0% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 10 | 225 | 0 | 225 | 0% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 11 | 225 | 0 | 225 | 0% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 12 | 225 | 0 | 225 | 0% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 13 | 225 | 0 | 225 | 0% | GRTgaz : Réhabilitation DN800 Roussines - Chazelles | |
| 14 | 225 | 0 | 225 | 0% | | |
| 15 | 225 | 0 | 225 | 0% | | |
| 16 | 225 | 0 | 225 | 0% | | |
| 17 | 225 | 0 | 225 | 0% | | |
| 18 | 225 | 0 | 225 | 0% | | |
| 19 | 225 | 0 | 225 | 0% | | |
| 20 | 225 | 0 | 225 | 0% | | |
| 21 | 225 | 0 | 225 | 0% | | |
| 22 | 225 | 0 | 225 | 0% | | |
| 23 | 225 | 0 | 225 | 0% | | |
| 24 | 225 | 0 | 225 | 0% | | |
| 25 | 225 | 0 | 225 | 0% | | |
| 26 | 225 | 0 | 225 | 0% | | |
| 27 | 225 | 0 | 225 | 0% | | |
| 28 | 225 | 0 | 225 | 0% | | |
| 29 | 225 | 0 | 225 | 0% | | |
| 30 | 225 | 0 | 225 | 0% | | |